

WEST Search History for Application 10606547

Creation Date: 2010093011:27

Prior Art Searches

Query	DB	Op.	Plur.	Thes.	Date
WASON.inv.	PGPB, USPT	OR	YES		09-30-2010
((WASON.inv.) and ((rich adj text) same (web adj application)))	PGPB, USPT	OR	YES		09-30-2010
((WASON.inv.) and ((rich adj text) same representation))	PGPB, USPT	OR	YES		09-30-2010
((rich adj text) and node\$1 and (memory adj structure) and representation and class\$.inv.	PGPB, USPT	OR	YES		09-30-2010
((rich adj text) and (memory adj structure) and class\$ and (table near2 node\$1)).clm.	PGPB, USPT	OR	YES		09-30-2010
((table adj structure) and (table adj node) and (table adj body adj node) and (table adj header adj node) and (markup or html) adj tag\$1).clm.	PGPB, USPT	OR	YES		09-30-2010
((table adj row adj node\$1) and (row adj cell adj node\$1) and (rich adj text adj node\$1) and (nested adj table\$1) and (transform\$ near2 text)).clm.	PGPB, USPT	OR	YES		09-30-2010
((transform\$ or convert\$ or convers\$3) near3 text) and string\$ and (relational adj database) and HTML and XML).clm.	PGPB, USPT	OR	YES		09-30-2010
((rich adj text) and string\$ and (relational adj database) and (compress\$ near2 format\$) and (text adj value\$) and (text near node\$1) and attribute\$1).clm.	PGPB, USPT	OR	YES		09-30-2010
((pars\$ or analyz\$) near5 (text adj node)) and (text adj attribute\$1) and (HTML or markup) and (text adj node\$1) and (table adj structure)).clm.	PGPB, USPT	OR	YES		09-30-2010
((pars\$ or analyz\$) near2 (HTML or markup)) and (extract\$ near2 tag\$1) and (text adj attribute\$1) and resolveTag).clm.	PGPB, USPT	OR	YES		09-30-2010
(resolveTag and (null adj string) and (clon\$ near3 text) and node\$1 and tag\$1 and (remov\$ near2 text) and (miss\$ near3 tag\$1)).clm.	PGPB, USPT	OR	YES		09-30-2010
		OR	YES		09-30-2010

(resolveTag and (end adj tag) and (clon\$ near3 node) and ((preceding or following) adj node) and (tag adj information) and (tag adj attribute\$1)).clm.	PGPB, USPT				
(715/200 715/202 715/204 715/205 715/207 715/226 715/227 715/229 715/234 715/239 715/249 715/255 715/256 715/257 715/273 715/700 715/760 715/762)! [CCLS]	PGPB, USPT	OR	YES		09-30-2010
((715/200 715/202 715/204 715/205 715/207 715/226 715/227 715/229 715/234 715/239 715/249 715/255 715/256 715/257 715/273 715/700 715/760 715/762)! [CCLS]) and ((rich adj text) same (web adj application))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
((715/200 715/202 715/204 715/205 715/207 715/226 715/227 715/229 715/234 715/239 715/249 715/255 715/256 715/257 715/273 715/700 715/760 715/762)! [CCLS]) and ((rich adj text) same node\$1 same (memory adj structure) same class\$)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
((715/200 715/202 715/204 715/205 715/207 715/226 715/227 715/229 715/234 715/239 715/249 715/255 715/256 715/257 715/273 715/700 715/760 715/762)! [CCLS]) and (resolveTag same tag\$ same (null adj string\$) same (clon\$ near3 text))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
((715/200 715/202 715/204 715/205 715/207 715/226 715/227 715/229 715/234 715/239 715/249 715/255 715/256 715/257 715/273 715/700 715/760 715/762)! [CCLS]) and (((transform\$ or convert\$ or convers\$3) near3 text) same string\$ same (relational adj database) same HTML same XML)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
(resolveTag same tag\$ same (null adj string\$))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
(string adj representation\$1) same (((transform\$ or convert\$ or convers\$3) near3 text) same (markup or XML or HTML))	PGPB, USPT, USOC, EPAB,	OR	YES		09-30-2010

	JPAB, DWPI, TDBD				
(707/602 707/695 707/802 707/803 707/912 707/999.001 707/999.003 707/999.004 707/999.101 707/E17.125)! [CCLS]	PGPB, USPT	OR	YES		09-30-2010
((707/602 707/695 707/802 707/803 707/912 707/999.001 707/999.003 707/999.004 707/999.101 707/E17.125)! [CCLS]) and ((rich adj text) same node\$1 same (memory adj structure))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
((707/602 707/695 707/802 707/803 707/912 707/999.001 707/999.003 707/999.004 707/999.101 707/E17.125)! [CCLS]) and (((pars\$ or analyz\$) near5 (text adj node)) same (text adj attribute\$1))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
(character adj large adj object) or CLOB	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
((character adj large adj object) or CLOB) with (html adj representation)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
((character adj large adj object) or CLOB) same (html adj representation)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
((character adj large adj object) or CLOB) and representation	PGPB, USPT, USOC, EPAB, JPAB,	OR	YES		09-30-2010

	DWPI, TDBD				
((character adj large adj object) or CLOB and representation) and (rich adj text)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
((character adj large adj object) or CLOB and representation) and (memory adj format\$)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
((character adj large adj object) or CLOB and representation) and (rich adj text adj edit\$)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
(rich adj text adj edit\$)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
((rich adj text adj edit\$)) and ((character adj large adj object) or CLOB)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
((rich adj text adj edit\$)) and node\$	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
((character adj large adj object) or CLOB) and (class\$ with application\$1 with representation)	PGPB, USPT,	OR	YES		09-30-2010

	USOC, EPAB, JPAB, DWPI, TDBD				
(rich adj text) same (Web or html or markup)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
((rich adj text) same (Web or html or markup)) and (web adj browser\$) same (edit\$ near3 text)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
(javascript near10 ((text adj edit\$ adj window) or (new adj browser)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
(javascript\$ with ((text adj edit\$ adj window) or (new adj browser)))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
((character adj large adj object) or CLOB and representation) and ((Rich adj Text adj Format) or RTF)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
((character adj large adj object) or CLOB and representation) and (controller adj class\$)	PGPB, USPT, USOC, EPAB, JPAB, DWPI,	OR	YES		09-30-2010

	TDBD				
((character adj large adj object) or CLOB) and (class\$ with (control\$ near5 presenation))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
(class\$ with (control\$ near5 presenation))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
(class\$ same (control\$ near5 presenation))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
(table adj structure) and ((Rich adj Text adj Format) or RTF)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
(table adj structure) same ((Rich adj Text adj Format) or RTF)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
((table adj structure) same ((Rich adj Text adj Format) or RTF)) and class\$	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
Java adj class\$	PGPB, USPT, USOC,	OR	YES		09-30-2010

	EPAB, JPAB, DWPI, TDBD				
((Java adj class\$) and ((table adj structure) and ((Rich adj Text adj Format) or RTF))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
((character adj large adj object) or CLOB) and (Java adj class\$)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
20020194357 or 20030120665 or 20030182308	PGPB, USPT	OR	YES		09-30-2010
6, 631, 519 (6, 618, 732 or 6, 604, 100 or 6, 418, 448).pn.	USPT	OR	YES		09-30-2010
(6, 631, 519 or 6, 618, 732 or 6, 604, 100 or 6, 418, 448).pn.	USPT	OR	YES		09-30-2010
((Java adj class\$) and ((Rich adj Text adj Format) or RTF)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
((Java adj class\$ and ((Rich adj Text adj Format) or RTF)) and edit\$	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
((Java adj class\$) and (table adj node)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010

(class\$ near8 application\$1) with (structure\$ near2 presentation)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
Java adj string adj class\$	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
(Java adj string adj class\$) and edit\$	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
(Java adj string adj class\$) and ((character adj large adj object) or CLOB and representation)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
((rich adj text adj edit\$)) and (table adj structure)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
((Rich adj Text adj Format) or RTF) and (web or html or www)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
((Rich adj Text adj Format) or RTF) same (web or html or www)	PGPB, USPT, USOC, EPAB,	OR	YES		09-30-2010

	JPAB, DWPI, TDBD				
((Rich adj Text adj Format) or RTF) same (web or html or www) and (Java adj class \$)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
(6154756 or 5467448).pn.	USPT	OR	YES		09-30-2010
'4709348'.pn.	USPT	OR	YES		09-30-2010
((table adj structure) and ((Rich adj Text adj Format) or RTF) and class\$	USPT	OR	YES		09-30-2010
((707/602 707/695 707/802 707/803 707/912 707/999.001 707/999.003 707/999.004 707/999.101 707/E17.125)! [CCLS]) and ((character adj large adj object) or CLOB)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
((707/602 707/695 707/802 707/803 707/912 707/999.001 707/999.003 707/999.004 707/999.101 707/E17.125)! [CCLS] and (character adj large adj object) or CLOB) and (((transform\$ or convert\$ or convers\$3) near3 text) same string\$ same (relational adj database))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
((707/602 707/695 707/802 707/803 707/912 707/999.001 707/999.003 707/999.004 707/999.101 707/E17.125)! [CCLS] and (character adj large adj object) or CLOB) and ((rich adj text) same (web adj application))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
((715/200 715/202 715/204 715/205 715/207 715/226 715/227 715/229 715/234 715/239 715/249 715/255 715/256 715/257 715/273 715/700 715/760 715/762)! [CCLS]) or ((707/602 707/695 707/802 707/803 707/912 707/999.001 707/999.003 707/999.004 707/999.101 707/E17.125)! [CCLS])	PGPB, USPT	OR	YES		09-30-2010
((715/200 715/202 715/204 715/205 715/207 715/226 715/227 715/229 715/234 715/239 715/249 715/255 715/256 715/257 715/273 715/700 715/760	PGPB, USPT	OR	YES		09-30-2010

<p> 715/762)! [CCLS] or (707/602 707/695 707/802 707/803 707/912 707/999.001 707/999.003 707/999.004 707/999.101 707/E17.125)! [CCLS]) and (resolveTag same (end adj tag) same (clon\$ near3 node)) </p>					
<p> (715/200 715/202 715/204 715/205 715/207 715/226 715/227 715/229 715/234 715/239 715/249 715/255 715/256 715/257 715/273 715/700 715/760 715/762)! [CCLS] or (707/602 707/695 707/802 707/803 707/912 707/999.001 707/999.003 707/999.004 707/999.101 707/E17.125)! [CCLS]) and (((pars\$ or analyz\$) near5 (text adj node)) same (text adj attribute\$1)) </p>	PGPB, USPT	OR	YES		09-30-2010
<p> (715/200 715/202 715/204 715/205 715/207 715/226 715/227 715/229 715/234 715/239 715/249 715/255 715/256 715/257 715/273 715/700 715/760 715/762)! [CCLS] or (707/602 707/695 707/802 707/803 707/912 707/999.001 707/999.003 707/999.004 707/999.101 707/E17.125)! [CCLS]) and (resolveTag same (null adj string) same clon\$ same (text adj node)) </p>	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
<p> (715/200 715/202 715/204 715/205 715/207 715/226 715/227 715/229 715/234 715/239 715/249 715/255 715/256 715/257 715/273 715/700 715/760 715/762)! [CCLS] or (707/602 707/695 707/802 707/803 707/912 707/999.001 707/999.003 707/999.004 707/999.101 707/E17.125)! [CCLS]) and (((end or first) adj tag) same (null adj string) same ((preceding or following) adj node) same (remov\$ near2 text)) </p>	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
<p> 715/\$.CCLS or 707/\$.CCLS. </p>	PGPB, USPT	OR	YES		09-30-2010
<p> (715/\$.CCLS or 707/\$.CCLS.) ((rich adj text) same (web\$ near2 application\$1)) </p>	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
<p> (715/\$.CCLS or 707/\$.CCLS. ((rich adj text) same (web\$ near2 application\$1))) and ((rich adj text) same (memory adj structure) same (text or table\$1 or (link\$1 or hyperlink\$1 or url))) </p>	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010

(715/\$.CCLS or 707/\$.CCLS. ((rich adj text) same (web\$ near2 application\$1))) and (((pars\$ or analyz\$) near4 text) same (text adj node\$1) same attribute\$1 same (memory adj structure))	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR	YES		09-30-2010
(715/\$.CCLS or 707/\$.CCLS. ((rich adj text) same (web\$ near2 application\$1))) and (resolv\$ same (text adj attribute\$1) same node\$1 same (extract\$ near3 information))	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR	YES		09-30-2010
(715/\$.CCLS or 707/\$.CCLS. ((rich adj text) same (web\$ near2 application\$1))) and (resolv\$ same (text adj attribute\$1) same node\$1 same (extract\$ near3 information))	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR	YES		09-30-2010
(715/\$.CCLS or 707/\$.CCLS. ((rich adj text) same (web\$ near2 application\$1))) and (resolv\$ same (\$null adj string) same (clon\$ or spawn\$) same (rich adj text))	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR	YES		09-30-2010
(715/\$.CCLS or 707/\$.CCLS. ((rich adj text) same (web\$ near2 application\$1))) and (resolv\$ same tag\$1 same (\$null adj string) same (clon\$ or spawn\$) same node\$1)	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR	YES		09-30-2010
((rich adj text) same (web\$ near2 application\$1))	PGPB, USPT, USOC, EPAB, JPAB, DWPL, TDBD	OR	YES		09-30-2010
((rich adj text) same (web\$ near2 application\$1))) and ((rich adj text) same (memory adj structure))	PGPB, USPT, USOC, EPAB,	OR	YES		09-30-2010

	JPAB, DWPI, TDBD				
(((rich adj text) same (web\$ near2 application\$1))) and (resolv\$ same (text adj attribute\$1) same node\$1)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
(((rich adj text) same (web\$ near2 application\$1))) and ((string adj representation\$1) same ((transform\$ or convert\$ or convers\$3) near3 text))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
(((rich adj text) same (web\$ near2 application\$1))) and (rich adj text adj node\$1)	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010
(((rich adj text) same (web\$ near2 application\$1))) and (resolv\$ same (text adj attribute\$1) same (clon\$ or spawn\$))	PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD	OR	YES		09-30-2010